# Foundations of Machine Learning Al2000 and Al5000

FoML-27 GMM

> <u>Dr. Konda Reddy Mopuri</u> Department of AI, IIT Hyderabad July-Nov 2025





#### So far in FoML

- Intro to ML and Probability refresher
- MLE, MAP, and fully Bayesian treatment
- Supervised learning
  - Linear Regression with basis functions
  - Bias-Variance Decomposition
  - Decision Theory three broad classification strategies
  - Neural Networks
- Unsupervised learning
  - K-Means, Hierarchical clustering





# For today

GMM for clustering

Contents are taken from - Andrew Moore, CMU





#### Hard vs. Soft clustering

- Based on the overlap of clusters
  - Hard clustering no overlap, complete/single assignment
  - o Soft clustering strength of association between element and cluster






#### Soft Clustering

- Gives probabilities that an instance belongs to each of the cluster centers
- Each instance is assigned a probability distribution across a set of discovered categories/clusters



#### Gaussian Distribution


$$P(\mathbf{x} \mid \boldsymbol{\mu}, \boldsymbol{\Sigma}) = \frac{1}{\sqrt{(2\pi)^d |\boldsymbol{\Sigma}|}} \exp\left(-\frac{1}{2}(\mathbf{x} - \boldsymbol{\mu})^{\mathsf{T}} \boldsymbol{\Sigma}^{-1} (\mathbf{x} - \boldsymbol{\mu})\right)$$








#### Mixture of Gaussians










#### The GMM setting

- There are K components w<sub>i</sub>
- ullet Each has associated mean and covariance  $\mu_{
  m i}$  and  $\Sigma_{
  m i}$



#### Mixture of Gaussians







#### The GMM setting

- Each instance is assumed to be generated as follows
  - Pick a Gaussian component at random with a probability ρ(w<sub>i</sub>)
  - $\circ$  Sample from it N( $u_i$ ,  $\Sigma_i$ )





#### Mixture Model

• Weighted sum of a number of pdfs where the weights are determined by a distribution  $\pi$ 

$$p(x) = \pi_0 f_0(x) + \pi_1 f_1(x) + \pi_2 f_2(x) + \dots + \pi_k f_k(x)$$
where 
$$\sum_{i=0}^k \pi_i = 1$$

$$p(x) = \sum_{i=0}^k \pi_i f_i(x)$$





#### **GMM**

ullet Weighted sum of a number of Gaussians where the weights are determined by a distribution  $\pi$ 

$$p(x) = \pi_0 N(x|\mu_0, \Sigma_0) + \pi_1 N(x|\mu_1, \Sigma_1) + \dots + \pi_k N(x|\mu_k, \Sigma_k)$$
where 
$$\sum_{i=0}^k \pi_i = 1$$

$$p(x) = \sum_{i=0}^{k} \pi_i N(x|\mu_k, \Sigma_k)$$





- Iterate until convergence
  - E-step
  - M-step





The E-step

comprehe the expected classes clusters
too all the data instances
$$P(wi/a_k,\lambda_t) = P(a_k|w_i,\lambda_t) \cdot P(wi/\lambda_t)$$

$$P(a_k|\lambda_t)$$





The E-step

comprete the expected classes clusters

too all the data instances

$$P(w_i|a_k,\lambda_t) = P(a_i|w_i,\lambda_t) \cdot P(w_i|\lambda_t)$$

$$= P(a_i|w_i,\lambda_i|t) \cdot T(1t)$$

$$= P(a_i|w_i,\lambda_i|t) \cdot T(1t)$$

$$\leq P(a_i|w_i,\lambda_i|t) \cdot T(1t)$$





The E-step





The M-step

compute the maximum likeli Ms and En given our axignments (numbership distributions)





The M-step

compute the maximum likeli Als and En

given our axignments (numbership

distributions)

Hi (t+1) = E P(W:/2k,2t). 2k

E P(Wi/2k,2t)





The M-step

```
compute the maximum likeli Ms and En
given our axignments (numbership
             distributions)
   \mu_{i}(t+1) = \sum_{k} P(w_{i}|x_{k},\lambda_{i}) \cdot x_{k}
5 b/m! 1/k·y+)
```






The M-step






Clear separation between clusters








Increased variance - ambiguous boundary








Further increasing the variance - blurs the boundary







When no clusters are present







#### Next

UnSupervised Learning - PCA





# Rough work



